



SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830

BASIS BEELER cum Conservativa

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : BASIS BEELER cum Conservativa
Synonyms : BASE DE BEELER avec agents conservateurs; BEELERBASIS met bewaarmiddelen
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

This raw material is purchased by a pharmacist and after distribution will be delivered to the patient as such or processed in a magistral or official preparation
External use

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Pannoc NV/SA
Lammerdries-oost 23
B-2250 Olen
☎ +32 14 21 70 18
info@pannoc.eu

1.4. Emergency telephone number

During business hours, 8:00-16:30 (CET) :
+32 14 21 70 18

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements
Aquatic Chronic	category 3	H412: Harmful to aquatic life with long lasting effects.

2.2. Label elements

Signal word : No signal word
H-statements
H412 : Harmful to aquatic life with long lasting effects.
P-statements
P273 : Avoid release to the environment.
P501 : Dispose of contents/container in accordance with local/regional/national/international regulation.

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark
tetradecanol	112-72-1 204-000-3	C<0.375 %	Eye Irrit. 2; H319 Aquatic Chronic 1; H410	(1)	Constituent
dodecan-1-ol	112-53-8 203-982-0	C≤0.195 %	Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	(1)	Constituent

BASIS BEELER cum Conservativa

propane-1,2-diol 01-2119456809-23	57-55-6 200-338-0	C=10 %		(2)	Constituent
sulfuric acid, mono C12-14-alkyl esters, sodium salts 01-2119489463-28	85586-07-8 287-809-4	C=2 %	Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Chronic 3; H412	(1)(8)	Constituent

- (1) For H-statements in full: see heading 16
(2) Substance with a Community workplace exposure limit
(8) Specific concentration limits, see heading 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, seek medical advice.

After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

After skin contact:

Rinse with water. Do not apply (chemical) neutralizing agents without medical advice. Take victim to a doctor if irritation persists.

After eye contact:

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Do not apply (chemical) neutralizing agents without medical advice.

Take victim to an ophthalmologist if irritation persists.

After ingestion:

Rinse mouth with water. Do not apply (chemical) neutralizing agents without medical advice. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

No effects known.

After eye contact:

No effects known.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: formation of CO, CO2 and small quantities of sulphur oxides.

5.3. Advice for firefighters

5.3.1 Instructions:

Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: compressed air apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See heading 8.2

6.2. Environmental precautions

Dam up the liquid spill. Contain released product. Prevent soil and water pollution. Prevent spreading in sewers.

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

6.3. Methods and material for containment and cleaning up

Scoop solid spill into closing containers. Contaminated surfaces: clean (treat). Carefully collect the spill/leftovers. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

See heading 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe normal hygiene standards. Do not discharge the waste into the drain. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: 15 °C - 25 °C. Store in a dark area. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources.

7.2.3 Suitable packaging material:

Polypropylene.

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

UK

Propane-1,2-diol particulates	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m ³
Propane-1,2-diol total vapour and particulates	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	150 ppm
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	474 mg/m ³

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Product name	Test	Number
Propylene Glycol	NIOSH	5523
Propylene Glycol	OSHA	2051

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

tetradecanol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	313 mg/m ³	
	Long-term local effects inhalation	178 mg/m ³	
	Long-term systemic effects dermal	89 mg/kg bw/day	

dodecan-1-ol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	313 mg/m ³	
	Long-term local effects dermal	155 mg/m ³	
	Long-term systemic effects dermal	89 mg/kg bw/day	

propane-1,2-diol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	168 mg/m ³	
	Long-term local effects inhalation	10 mg/m ³	

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	285 mg/m ³	
	Long-term systemic effects dermal	4060 mg/kg bw/day	

DNEL/DMEL - General population

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

tetradecanol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	77 mg/m ³	
	Long-term systemic effects dermal	44.4 mg/kg bw/day	
	Long-term systemic effects oral	44.4 mg/kg bw/day	

dodecan-1-ol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	77 mg/m ³	
	Long-term systemic effects dermal	44.5 mg/kg bw/day	
	Long-term systemic effects oral	44.5 mg/m ³	

propane-1,2-diol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	50 mg/m ³	
	Long-term local effects inhalation	10 mg/m ³	

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	85 mg/m ³	
	Long-term systemic effects dermal	2440 mg/kg bw/day	
	Long-term systemic effects oral	24 mg/kg bw/day	

PNEC

tetradecanol

Compartments	Value	Remark
Fresh water	0.001 mg/l	
Marine water	0 mg/l	
Fresh water sediment	2.14 mg/kg sediment dw	
Marine water sediment	0.214 mg/kg sediment dw	
Soil	0.428 mg/kg soil dw	

dodecan-1-ol

Compartments	Value	Remark
Fresh water	0.001 mg/l	
Marine water	0 mg/l	
Fresh water sediment	0.666 mg/kg sediment dw	
Marine water sediment	0.067 mg/kg sediment dw	
Soil	0.132 mg/kg soil dw	

propane-1,2-diol

Compartments	Value	Remark
Fresh water	260 mg/l	
Marine water	26 mg/l	
Aqua (intermittent releases)	183 mg/l	
STP	20000 mg/l	
Fresh water sediment	572 mg/kg sediment dw	
Marine water sediment	57.2 mg/kg sediment dw	
Soil	50 mg/kg soil dw	

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Compartments	Value	Remark
Fresh water	0.131 mg/l	
Salt water	0.013 mg/l	
Fresh water (intermittent releases)	0.036 mg/l	
STP	1.35 mg/l	
Fresh water sediment	4.61 mg/kg sediment dw	
Marine water sediment	0.461 mg/kg sediment dw	
Soil	0.846 mg/kg soil dw	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Respiratory protection not required in normal conditions.

b) Hand protection:

Protective gloves against chemicals (EN 374).

c) Eye protection:

Eye protection not required in normal conditions.

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

See headings 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Paste
	Homogeneous ointment
Odour	No data available on odour
Odour threshold	No data available in the literature
Colour	White
Particle size	No data available in the literature
Explosion limits	No data available in the literature
Flammability	Not classified as flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	100000 mPa.s - 300000 mPa.s ; room temperature
Kinematic viscosity	No data available in the literature
Melting point	No data available in the literature
Boiling point	No data available
Evaporation rate	No data available
Relative vapour density	No data available in the literature
Vapour pressure	No data available in the literature
Solubility	No data available in the literature
Relative density	No data available in the literature
Decomposition temperature	No data available in the literature
Auto-ignition temperature	No data available in the literature
Flash point	No data available in the literature
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties
pH	6.0 - 8.0

9.2. Other information

Surface tension	No data available in the literature
Absolute density	No data available in the literature

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Upon combustion: formation of CO, CO₂ and small quantities of sulphur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

11.1.1 Test results

Acute toxicity

BASIS BEELER cum Conservativa

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

tetradecanol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 401	> 2000 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50		8000 mg/kg bw	24 h	Rabbit (male / female)	Experimental value	
Inhalation (vapours)	LC50		> 1.5 mg/l air	1 h	Rat (male / female)	Experimental value	

propane-1,2-diol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50		22000 mg/kg		Rat	Experimental value	
Dermal	LD50		> 2000 mg/kg bw	24 h	Rabbit	Experimental value	
Inhalation						Data waiving	

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	EU Method B.1 tris	500 mg/kg bw - 2000 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	OECD 402	> 2000 mg/kg bw	24 h	Rat (male / female)	Read-across	
Inhalation						Data waiving	

Conclusion

Not classified for acute toxicity

Corrosion/irritation

BASIS BEELER cum Conservativa

No (test)data on the mixture available

Judgement is based on the relevant ingredients

tetradecanol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Irritating	OECD 405		1; 24; 48; 72 hours	Rabbit	Experimental value	Single treatment
Skin	Not irritating	Equivalent to OECD 404	4 h	1; 24; 48; 72 hours	Human	Experimental value	

dodecan-1-ol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Irritating	Equivalent to OECD 405	24 h	24 hours	Rabbit	Experimental value	Single treatment without rinsing

propane-1,2-diol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405		24; 48; 72 hours	Rabbit	Experimental value	Single treatment
Skin	Not irritating	OECD 404	4 h	24; 48; 72 hours	Rabbit	Experimental value	

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Irritating	Equivalent to OECD 405		24; 48; 72 hours	Rabbit	Read-across	30% aqueous solution
Eye	Serious eye damage; category 1					Expert judgement	Pure substance
Skin	Irritating	Equivalent to OECD 404	24 h	24; 72 hours	Rabbit	Read-across	

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

BASIS BEELER cum Conservativa

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

tetradecanol

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 406		24; 48 hours	Guinea pig (female)	Experimental value	

propane-1,2-diol

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Equivalent to OECD 429			Mouse	Experimental value	
Inhalation						Data waiving	

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Guinea pig maximisation test			Guinea pig	Read-across	

Conclusion

Not classified as sensitizing for skin

Not classified as sensitizing for inhalation

Specific target organ toxicity

BASIS BEELER cum Conservativa

No (test)data on the mixture available

Judgement is based on the relevant ingredients

tetradecanol

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (diet)	NOAEL		> 4567 mg/kg bw		No effect	13 week(s)	Rat (female)	Read-across
Oral (diet)	NOAEL		> 4257 mg/kg bw		No effect	13 week(s)	Rat (male)	Read-across

propane-1,2-diol

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (diet)	NOAEL	Subchronic toxicity test	443 mg/kg bw/day			283 week(s)	Cat (male)	Experimental value
Dermal	NOAEL		0.02 ml		No effect		Mouse (female)	Experimental value
Inhalation (aerosol)	LOEC	Subchronic toxicity test	160 mg/m ³ air	Nose	Nasal bleeding	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (diet)	NOAEL	Equivalent to OECD 408	470 mg/kg bw/day - 506 mg/kg bw/day		No effect	13 weeks (7 days / week)	Rat (male / female)	Read-across
Dermal	NOAEL	Equivalent to OECD 411	400 mg/kg bw		No effect	13 weeks (2 times / week)	Mouse (male / female)	Experimental value

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

BASIS BEELER cum Conservativa

No (test)data on the mixture available

Judgement is based on the relevant ingredients

tetradecanol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

propane-1,2-diol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 473	Human lymphocytes		Experimental value	

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Result	Method	Test substrate	Effect	Value determination	Remark
Negative	OECD 471	Bacteria (S.typhimurium)		Experimental value	
Negative	Equivalent to OECD 476	Mouse (lymphoma L5178Y cells)		Experimental value	

Mutagenicity (in vivo)

BASIS BEELER cum Conservativa

No (test)data on the mixture available

Judgement is based on the relevant ingredients

tetradecanol

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Equivalent to OECD 474		Mouse (male / female)	Bone marrow	Read-across

propane-1,2-diol

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Chromosome aberration assay	5 day(s)	Rat (male)		Experimental value

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Equivalent to OECD 475		Rat (male / female)	Bone marrow	Read-across

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

BASIS BEELER cum Conservativa

No (test)data on the mixture available

Judgement is based on the relevant ingredients

tetradecanol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Intraperitoneal				5 day(s)	Mouse	No carcinogenic effect		Experimental value

propane-1,2-diol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Oral (repeated exposure)	NOAEL	Carcinogenic toxicity study	1700 mg/kg bw/day - 2100 mg/kg bw/day	104 weeks (daily)	Rat (male / female)	No carcinogenic effect		Experimental value

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Oral	NOEL	Equivalent to OECD 453	> 1125 mg/kg bw/day	104 weeks (7 days / week)	Rat (male / female)	No carcinogenic effect		Read-across

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

BASIS BEELER cum Conservativa

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

tetradecanol

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 422	2000 mg/kg bw/day	41 day(s) - 54 day(s)	Rat (male / female)	No effect		Read-across
Maternal toxicity	NOAEL	Equivalent to OECD 422	2000 mg/kg bw/day	41 day(s) - 54 day(s)	Rat (female)	No effect		Read-across
Effects on fertility	NOAEL (P)		1127 mg/kg bw/day	13 week(s)	Rat (male)	No effect		Read-across
	NOAEL (P)		1243 mg/kg bw/day	13 week(s)	Rat (female)	No effect		Read-across

propane-1,2-diol

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEC	Equivalent to OECD 414	1040 mg/kg bw/day	10 day(s)	Mouse	No effect	Foetus	Experimental value
Maternal toxicity	NOAEL	Equivalent to OECD 414	520 mg/kg bw/day	10 day(s)	Mouse	No effect		Experimental value
Effects on fertility	NOAEL	NTP continuous breeding protocol	10100 mg/kg bw/day		Mouse (male / female)	No effect		Experimental value

sulfuric acid, mono C12-14-alkyl esters, sodium salts

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOEL	Equivalent to OECD 414	250 mg/kg bw/day	10 days (1x / day)	Rat	No effect		Experimental value
Maternal toxicity	NOEL	Equivalent to OECD 414	250 mg/kg bw/day	10 days (1x / day)	Rat	No effect		Experimental value

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

BASIS BEELER cum Conservativa

No (test)data on the mixture available

Chronic effects from short and long-term exposure

BASIS BEELER cum Conservativa

No effects known.

SECTION 12: Ecological information

12.1. Toxicity

BASIS BEELER cum Conservativa

No (test)data on the mixture available

Classification of the mixture is based on the relevant ingredients

tetradecanol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	> 1 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value
Acute toxicity crustacea	EC50	OECD 202	3.2 mg/l	48 h	Daphnia magna	Semi-static system	Fresh water	Experimental value
Toxicity algae and other aquatic plants	EL50	Equivalent to OECD 201	> 10 mg/l	96 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value
Long-term toxicity fish	NOEC	OECD 210	0.26 mg/l	33 day(s)	Pimephales promelas	Flow-through system	Fresh water	Experimental value
Long-term toxicity aquatic crustacea	NOEC	OECD 211	1.6 µg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value
	Parameter	Method	Value	Duration	Species			Value determination
Toxicity soil macro-organisms	EC50	OECD 207	> 1000 mg/kg soil dw	72 h	Caenorhabditis elegans			Experimental value

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

dodecan-1-ol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	US EPA	1.01 mg/l	96 h	Pimephales promelas	Flow-through system	Fresh water	Experimental value
Acute toxicity crustacea	EC50	OECD 202	0.765 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	ErC50	OECD 201	0.66 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP
Long-term toxicity aquatic crustacea	NOEC	OECD 211	0.014 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; GLP

propane-1,2-diol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	51600 mg/l	96 h	Oncorhynchus mykiss			Experimental value
	LC50	Other	40613 mg/l	96 h	Oncorhynchus mykiss	Static system	Fresh water	Experimental value
Acute toxicity crustacea	LC50	EPA 600/4-90/027	18340 mg/l	48 h	Ceriodaphnia dubia	Static system	Fresh water	Experimental value
Toxicity algae and other aquatic plants	ErC50	OECD 201	24200 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; GLP
Long-term toxicity fish								Data waiving
Long-term toxicity aquatic crustacea	NOEC	EPA 600/4-89/001	13020 mg/l	7 day(s)	Ceriodaphnia sp.	Semi-static system	Fresh water	Experimental value; Reproduction
Toxicity aquatic micro-organisms	NOEC	Other	> 20000 mg/l	18 h	Pseudomonas putida		Fresh water	Experimental value; Growth inhibition

sulfuric acid, mono C12-14-alkyl esters, sodium salts

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	3.6 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	EU Method	4.7 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	NOEC	EU Method C.3	0.6 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish	NOEC		≥ 1.367 mg/l	42 day(s)	Pimephales promelas	Flow-through system	Fresh water	Read-across; Growth
Long-term toxicity aquatic crustacea	NOEC	Other	0.14 mg/l	21 day(s)	Daphnia magna	Static system	Fresh water	Weight of evidence; Lethal

Conclusion

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

tetradecanol

Biodegradation water

Method	Value	Duration	Value determination
ISO 10708	92 %	28 day(s)	Experimental value

Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.91	18.3 h	500000 /cm ³	Calculated value

Biodegradation soil

Method	Value	Duration	Value determination
OECD 301D: Closed Bottle Test	87 %	28 day(s)	Experimental value

dodecan-1-ol

Biodegradation water

Method	Value	Duration	Value determination
OECD 301B: CO2 Evolution Test	87.5 %	28 day(s)	Experimental value

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

propane-1,2-diol

Biodegradation water

Method	Value	Duration	Value determination
OECD 301F: Manometric Respirometry Test	81.7 %; Carbon dioxide	28 day(s)	Experimental value

Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	0.83 day(s)	1500000 /cm ³	QSAR

Half-life water (t1/2 water)

Method	Value	Primary degradation/mineralisation	Value determination
			Data waiving

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Biodegradation water

Method	Value	Duration	Value determination
OECD 301D: Closed Bottle Test	90 % - 100 %; GLP	28 day(s)	Experimental value

Conclusion

Contains readily biodegradable component(s)

12.3. Bioaccumulative potential

BASIS BEELER cum Conservativa

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

tetradecanol

BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF	BCFBAF v3.01	26		Pisces	QSAR

Log Kow

Method	Remark	Value	Temperature	Value determination
ASTM E1147		5.5	25 °C	Experimental value

dodecan-1-ol

Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 117		5.4	23 °C	Experimental value

propane-1,2-diol

BCF other aquatic organisms

Parameter	Method	Value	Duration	Species	Value determination
BCF		0.09			

Log Kow

Method	Remark	Value	Temperature	Value determination
EU Method A.8		-1.07	20.5 °C	Experimental value

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 123		0.78	22 °C	Experimental value

Conclusion

Contains bioaccumulative component(s)

12.4. Mobility in soil

tetradecanol

(log) Koc

Parameter	Method	Value	Value determination
log Koc	OECD 121	4.53	Experimental value

dodecan-1-ol

(log) Koc

Parameter	Method	Value	Value determination
log Koc	OECD 121	3.71	Experimental value

propane-1,2-diol

(log) Koc

Parameter	Method	Value	Value determination
log Koc		0.46	Calculated value

Volatility (Henry's Law constant H)

Value	Method	Temperature	Remark	Value determination
1.29E-8 atm m ³ /mol		25 °C		Estimated value
0.0012 Pa.m ³ /mol				Experimental value

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

sulfuric acid, mono C12-14-alkyl esters, sodium salts

(log) Koc

Parameter	Method	Value	Value determination
log Koc	Other	3.13 - 3.19	Read-across

Percent distribution

Method	Fraction air	Fraction biota	Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level I	0.003 %				100 %	Calculated value

Conclusion

Contains component(s) that adsorb(s) into the soil
Contains component(s) with potential for mobility in the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Other adverse effects

BASIS BEELER cum Conservativa

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

propane-1,2-diol

Groundwater

Groundwater pollutant

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Groundwater

Groundwater pollutant

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

07 05 04* (wastes from the MFSU of pharmaceuticals: other organic solvents, washing liquids and mother liquors). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste.

Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

14.4. Packing group

Packing group	
Labels	

14.5. Environmental hazards

Environmentally hazardous substance mark	no
--	----

14.6. Special precautions for user

Special provisions	
Limited quantities	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Annex II of MARPOL 73/78	Not applicable, based on available data
--------------------------	---

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
≥ 10 %	

European drinking water standards (Directive 98/83/EC)

sulfuric acid, mono C12-14-alkyl esters, sodium salts

Parameter	Parametric value	Note	Reference
Sodium	200 mg/l		Listed in Annex I, Part C, of Directive 98/83/EC on the quality of water intended for human consumption.

National legislation Belgium

BASIS BEELER cum Conservativa

No data available

National legislation The Netherlands

BASIS BEELER cum Conservativa

Waterbezwaarlijkheid	A (3); Algemene Beoordelingsmethodiek (ABM)
----------------------	---

National legislation France

BASIS BEELER cum Conservativa

No data available

National legislation Germany

BASIS BEELER cum Conservativa

WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
-----	--

tetradecanol

TA-Luft	5.2.5/l
---------	---------

propane-1,2-diol

TA-Luft	5.2.5
---------	-------

sulfuric acid, mono C12-14-alkyl esters, sodium salts

TA-Luft	5.2.1
---------	-------

National legislation United Kingdom

BASIS BEELER cum Conservativa

No data available

Other relevant data

BASIS BEELER cum Conservativa

No data available

15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

SECTION 16: Other information

Full text of any H-statements referred to under heading 3:

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process

Publication date: 2019-12-12

BASIS BEELER cum Conservativa

vPvB

very Persistent & very Bioaccumulative

M-factor

dodecan-1-ol	1	Acute	BIG
--------------	---	-------	-----

Specific concentration limits CLP

sulfuric acid, mono C12-14-alkyl esters, sodium salts	10 % ≤ C < 20 %	Eye Irrit. 2; H319	ECHA
	C ≥ 20 %	Eye Dam. 1; H318	ECHA

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Publication date: 2019-12-12